## LIFELINE CELL TECHNOLOGY SAFETY DATA SHEET

### SECTION 1 – PRODUCT AND COMPANY INFORMATION

| Product Name:                                | Human Pulmonary Artery Endothelial Cells  |
|--|---|
| Product Number:                              | FC-0055   |
| Company Address:                             | Lifeline Cell Technology<br>8415 Progress Drive, Suite T<br>Frederick, MD 21701 |
| Technical Phone:<br>Fax:<br>Emergency Phone: | (877) 845-7787<br>(301) 845-2405<br>(877) 845-7787                              |
| Product use:                                 | Cell/Tissue culture   |

## **SECTION 2 – HAZARDS IDENTIFICATION**

#### Hazard Identification: Dimethyl Sulfoxide (approximately 10%)

#### **GHS** Classification

Flammable liquids (Category 4), H227

#### GHS Label elements including precautionary statements:

| Pictograms: | None    |
|-------------|---------|
| Signal word | Warning |

Hazard statements

| H227 | Combustible liquid  |
|------|---|
| H280 | Wear protective gloves/protective clothing/eye protection/face protection |

Precautionary statements

| P210      | Keep away from heat/sparks/open flames/hot surfaces No smoking                       |
|-----------|--|
| P280      | Wear protective gloves/protective clothing/eye protection/face protection            |
| P370+P378 | In case of fire use dry sand, dry chemical or alcohol-resistant foam for extinction. |
| P403+P235 | Store in a well ventilated place. Keep cool.   |
| P501      | Dispose of contents/container to an approved waste disposal plant                    |

**Hazards not covered by GHS:** This product contains raw material of human source. The human cells in this product have been tested and found to be negative for Hepatitis B, Hepatitis C, HIV-1 and HIV-2 by FDA approved methods. These tests cannot offer complete assurance of the absence of these or other infectious agents.

### SECTION 3 - COMPOSITION / INFORMATION ON INGREDIENTS

| Principal Components: | Water              | CAS number: | 7732-18-5 |
|-----------------------|--------------------|-------------|-----------|
|                       | Dimethyl Sulfoxide | CAS number: | 67-68-5   |
|                       | Fetal Bovine Serum | CAS number: | N/A       |

**Composition**: The subject product is a cell suspension in a nutrient chemical solution with Fetal Bovine Serum, and Dimethyl Sulfoxide (DMSO) in purified water. With the exception of 5-15% Fetal Bovine Serum, 5-15% DMSO and purified water, all other ingredients are in concentrations of less than 1%.

#### Synonym: PAEC

## **SECTION 4 – FIRST AID MEASURES**

#### **Potential Health Effects:**

Eye: May cause irritation of the eye.Skin: May cause skin irritation.Ingestion: May be harmful if swallowed.Inhalation: May be harmful if inhaled. Material may be irritating to mucous membranes and upper respiratory tract.

#### First aid measures:

Oral Exposure: If swallowed, rinse out mouth with water provided person is conscious. Call a physician.

**Dermal Exposure**: In case of contact with skin, flush with copious amounts of water for at least 15 minutes. Should irritation occur, call a physician.

**Eye Exposure**: In case of contact with eyes, flush with copious amounts of water for at least 15 minutes. Assure adequate flushing by separating the eyelids with fingers. Call a physician.

## **SECTION 5 – FIRE FIGHTING MEASURES**

**General Fire hazard:** For small fires, use media such as "alcohol" foam, dry chemical or carbon dioxide. For large fires, apply water from as far away as possible. Use large quantities (flooding) of water applied as a mist or spray; solid streams of water may be ineffective. Cool all affected containers with flooding quantities of water.

**Extinguishing media:** Use media appropriate for fire conditions.

Advice for Firefighters: Wear self-contained breathing apparatus if necessary.

Hazardous decomposition products from the mixture: Carbon oxides and Sulfur oxides

**Further information:** Use water spray to cool unopened containers.

## SECTION 6 – ACCIDENTAL RELEASE MEASURES

**Personal Precautions and Protective Equipment:** Avoid breathing vapors, mist or gas. Remove all sources of ignition. Beware of vapours accumulating to form explosive concentrations. Vapour can accumulate in low areas. Refer to section 8 for appropriate personal protection.

**Environmental Precautions:** Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

**Methods for Clean Up**: Absorb liquid with disposable laboratory towel or other absorbent material and then place in a closed container for disposal. Wash spill site after liquid cleanup is complete with cleansers appropriate for the spill site surface material.

## **SECTION 7 – HANDLING AND STORAGE**

**Precautions for Handling**: Refer to section 8 for appropriate personal protection. Avoid contact with eyes, skin or clothing. Product may cause allergic reaction in sensitized individuals. Do not pipet by mouth.

Storage: Keep container tightly closed. Store at ultralow temperature, -150°C or below. Protect from light.

## SECTION 8 - EXPOSURE CONTROLS AND PERSONAL PROTECTION

#### Components with workplace control parameters:

| Component             | CAS#    | Value | Control Parameters                        | Basis                                  |                       |
|-----------------------|---------|-------|---|--|-----------------------|
| Dimethyl<br>Sulfoxide | 67-68-5 | TWA   | 250.000 ppm<br>0.800000 mg/m <sup>3</sup> | USA.<br>Environmental<br>Levels (WEEL) | Workplace<br>Exposure |

**Engineering Controls**: Handle in accordance with good industrial hygiene and safety practices. Wash hands before breaks and at the end of the workday.

Ventilation: Area ventilation is generally adequate.

#### **Personal Protective Equipment**:

Appearance:

| Respiratory: | Respirator is not required.         |
|--------------|-------------------------------------|
| Hand:        | Chemical resistant gloves required. |
| Eye:         | Safety glasses or goggles required. |
| Clothing:    | Laboratory coat recommended.        |
|              |                                     |

General Hygiene Measures: Wash hands thoroughly after handling.

## **SECTION 9 – PHYSICAL / CHEMICAL PROPERTIES**

Frozen, pale yellow to tan liquid

| , <u>i</u> , <u>i</u>         |   |
|-------------------------------|---|
| nability or Explosive limits: | No data available   |
| Faint earthy or musky odor    |   |
| No data available             |   |
| Soluble in water              |   |
| No data available             |   |
| No data available             |   |
| No data available             |   |
| Not flammable                 |   |
|                               | Faint earthy or musky odor<br>No data available<br>No data available<br>No data available<br>No data available<br>No data available<br>No data available<br>Soluble in water<br>No data available<br>No data available<br>No data available<br>No data available<br>No data available |

Upper/lower flammability or explosive limits:No data availablePartition coefficient: n-octanol/water:No data availableAuto-ignition temperature:No data availableViscosity:No data available

### SECTION 10 – STABILITY AND REACTIVITY

Reactivity:No data availableChemical stability:Stable under recommended storage and usage conditions.Possible hazardous reactions:No data availableConditions to be avoided:Heat, sparks and flames.Incompatible materials:<br/>Strong reducing agentsAcid chlorides, Phosphorus halides, Strong acids, Strong oxidizing agents,<br/>Carbon oxides and Sulfur oxides may be released in a fire.

### SECTION 11 – TOXICOLOGICAL INFORMATION

Likely routes of exposure: Ingestion, skin, eye contact.

#### Acute toxicity (Dimethyl Sulfoxide)

| Oral LD50:<br>Inhalation LC50:<br>Dermal LD50:<br>Other:                     | LD50 Oral – Rat – 14,500 mg/kg<br>LC50 Inhalation – Rat – 4 hrs – 40<br>LD50 Dermal Rabbit - > 5,000 mg<br>No data available |  |
|--|--|--|
| Chronic toxicity:  | No data available  |  |
| Skin corrosion:  | No data available  |  |
| Eye damage:  | No data available  |  |
| Sensitization (Respiration or Skin): No data available                       |  |  |
| <b>Specific target organ toxicity – single exposure:</b> No data available   |  |  |
| <b>Specific target organ toxicity – repeated exposure:</b> No data available |  |  |
| Aspiration hazard: No data available   |  |  |

#### Germ cell mutagenicity:

Dimethyl Sulfoxide: Mouse, lymphocyte, cytogenetic analysis, mutation in mammalian somatic cells Rat: Cytogenetic analysis Mouse: DNA damage

#### **Carcinogenicity:**

Dimethyl Sulfoxide: Rat – Oral Tumorigenic: Equivocal tumorigenic agent by RTECS criteria. Skin and Appendages: Other: Tumors

Dimethyl Sulfoxide: Mouse – Oral

Tumorigenic: Equivocal tumorigenic agent by RTECS criteria. Leukaemia Skin and Appendages: Other: Tumors

| NTP:   | not listed |
|--------|------------|
| IARC:  | not listed |
| ACGIH: | not listed |
| OSHA:  | not listed |

#### **Reproductive toxicity:**

Dimethyl Sulfoxide: Reproductive toxicity - Rat - Intraperitoneal

Effects on fertility: Abortion. Post-implantation mortality (e.g. dead and/or reabsorbed implants per total number of implants).

Dimethyl Sulfoxide: Reproductive toxicity - Rat - Subcutaneous

Effects on fertility: Post-implantation mortality (e.g. dead and/or reabsorbed implants per total number of implants per corpora lutea). Effects on fertility: Litter size (e.g. number of fetuses per liter; measured before birth).

Dimethyl Sulfoxide: Reproductive toxicity - Mouse - Oral

Effects on fertility: Pre-implantation mortality (e.g. reduction in number of implants per female; number of implants per corpora lutea). Effects on embryo or fetus: Fetotoxicity (except death, e.g. stunted fetus). Specific developmental abnormalities: Musculoskeletal system.

#### **Additional Information:**

Dimethyl Sulfoxide: RTECS: PV6210000

Effects due to ingestion may include: Nausea, Fatigue, Headache

Eyes – Eye disease – Based on Human Evidence

## **SECTION 12 – ECOLOGICAL INFORMATION**

| Toxicity to Fish:         | LC50 Pimephales promelas (fathead minnow) 34,000 mg/L - 96 h (Dimethyl Sulfoxide)                                   |
|---------------------------|---|
|                           | LC50 Oncorhynchus mykiss (rainbow trout) 35,000 mg/L – 96 h (Dimethyl Sulfoxide)                                    |
| Toxicity to other aquatic |   |
| Invertebrates:            | EC50 Daphnia magna (water flea) 24,600 mg/L – 48 h (Dimethyl Sulfoxide), (OECD Guideline 202)                       |
| Toxicity to algae:        | EC50 Pseudokirchneriella subcapitata (green algae) 17,000 mg/L – 72 h<br>(Dimethyl Sulfoxide), (OECD Guideline 201) |

**Persistence/Degradability:** Dimethyl Sulfoxide: Result: 31% - According to the results of tests of biodegradability a component of this product (Dimethyl Sulfoxide) is not readily biodegradable (OECD Guideline 301D).

**Bioaccumulation Potential:** No data available **Mobility in Soil:** No data available. Expected to be mobile in soil due to high solubility in water.

#### **SECTION 13 – DISPOSAL CONSIDERATIONS**

RCRA hazardous waste code:Not listed as a hazardous waste.Appropriate disposal containers:No specific restrictions on waste container type.Appropriate Method of Disposal:Clean up and dispose of waste in accordance with all federal, state andlocal environmental regulations.Incomposite of waste in accordance with all federal, state and

## SECTION 14 – TRANSPORT INFORMATION

| UN number:            | N/A                          |
|-----------------------|------------------------------|
| Proper Shipping Name: | None.                        |
| DOT:                  | Non-hazardous for transport. |
| IMDG:                 | Non-hazardous for transport. |
| IATA:                 | Non-hazardous for transport. |

## **SECTION 15 – REGULATORY INFORMATION**

SARA 302 Components:No chemicals in this product are subject to SARA Title III, Section 302.SARA 313 Components:This product does not contain chemical components with known CAS numbersthat exceed the threshold (De Minimus) reporting levels established by SARA Title III, Section 313.SARA 311/312:Fire hazard, Chronic health hazard

Massachusetts Right to Know Components: No components are subject to Massachusetts Right to Know Act.

#### Pennsylvania Right to Know Components:

|                          | Water  | CAS number:                | 7732-18-5      |
|--------------------------|--|----------------------------|----------------|
|                          | Dimethyl Sulfoxide   | CAS number:                | 67-68-5        |
|                          | Fetal Bovine Serum   | CAS number:                | N/A            |
| New Jersey Right to Know | y <b>Components:</b><br>Dimethyl Sulfoxide<br>Fetal Bovine Serum | CAS number:<br>CAS number: | 67-68-5<br>N/A |

**California Prop. 65 Components:** This product does not contain any chemicals known to the state of California to cause cancer, birth defects or other reproductive harm.

### **SECTION 16 – OTHER INFORMATION**

**Preparation information**:

| Prepared by:                  | Quality Department |
|-------------------------------|--------------------|
| Date Prepared:                | April 28, 2021     |
| <b>Replaced Version date:</b> | May 1, 2015        |

**Disclaimer:** This information is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of Lifeline Cell Technology. The data on this sheet relate only to the specific materials designated herein and shall only be used as a guide. Lifeline Cell Technology assumes no legal responsibility for the use or reliance upon these data.