LIFELINE CELL TECHNOLOGY SAFETY DATA SHEET

SECTION 1 - PRODUCT AND COMPANY INFORMATION

Product Name:	DifFactor 2
Product Number:	LS-1075
Company Address:	Lifeline Cell Technology 8415 Progress Drive, Suite T Frederick, MD 21701
Technical Phone: Fax: Emergency Phone:	(877) 845-7787 (443) 393-0393 (877) 845-7787
Product use:	Cell/Tissue culture

SECTION 2 – HAZARDS IDENTIFICATION

Hazardous Components: Ethanol (1-2%)

GHS Classification

Flammable liquids (Category 3)

GHS Label elements including precautionary statements:



Hazard statements

H226 Flammable liquid or vapor.

Precautionary statements

Hazards not covered by GHS: None

SECTION 3 – COMPOSITION / INFORMATION ON INGREDIENTS

Principal Components:	Water
	Ethanol

CAS number: 7732-18-5 CAS number: 64-17-5

Composition: The subject product is a solution containing Ethanol and biologically active components in purified water. With the exception 1-2% Ethanol and purified water, all other ingredients are in concentrations of less than 1%.

Synonym: N/A

SECTION 4 – FIRST AID MEASURES

Potential Health Effects:

Eye: May cause irritation of the eye.Skin: May cause skin irritation.Ingestion: May be harmful if swallowed.Inhalation: May be harmful if inhaled. Material may be irritating to mucous membranes and upper respiratory tract.

First aid measures:

Oral Exposure: If swallowed, rinse out mouth with water provided person is conscious. Call a physician.

Dermal Exposure: In case of contact with skin, flush with copious amounts of water for at least 15 minutes. Should irritation occur, call a physician.

Eye Exposure: In case of contact with eyes, flush with copious amounts of water for at least 15 minutes. Assure adequate flushing by separating the eyelids with fingers. Call a physician.

SECTION 5 – FIRE FIGHTING MEASURES

General Fire hazard: For small fires, use media such as "alcohol" foam, dry chemical or carbon dioxide. For large fires, apply water from as far away as possible. Use large quantities (flooding) of water applied as a mist or spray; solid streams of water may be ineffective. Cool all affected containers with flooding quantities of water.

Extinguishing media: Use media appropriate for fire conditions.

Advice for Firefighters: Wear self-contained breathing apparatus if necessary.

Hazardous decomposition products from the mixture: Carbon oxides and Sulfur oxides

Further information: Use water spray to cool unopened containers.

SECTION 6 – ACCIDENTAL RELEASE MEASURES

Personal Precautions and Protective Equipment: Avoid breathing vapors, mist or gas. Remove all sources of ignition. Beware of vapours accumulating to form explosive concentrations. Vapour can accumulate in low areas. Refer to section 8 for appropriate personal protection.

Environmental Precautions: Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

Methods for Clean Up: Absorb liquid with disposable laboratory towel or other absorbent material and then place in a closed container for disposal. Wash spill site after liquid cleanup is complete with cleansers appropriate for the spill site surface material.

SECTION 7 – HANDLING AND STORAGE

Precautions for Handling: Refer to section 8 for appropriate personal protection. Avoid contact with eyes, skin or clothing. Product may cause allergic reaction in sensitized individuals. Do not pipet by mouth.

Storage: Keep container tightly closed. Store at ultralow temperature, -150°C or below. Protect from light.

SECTION 8 - EXPOSURE CONTROLS AND PERSONAL PROTECTION

Components with workplace control parameters:

Component	CAS#	Value	Control Parameters	Basis
Ethanol	64-17-5	TWA	1,000.000 ppm	USA ACGIH Threshold
				Limit Values (TLV)
	Remarks	Upper R	Upper Respiratory Tract irritation	
		Confirm	Confirmed animal carcinogen with unknown relevance to	
		humans.		
		TWA	1,000 ppm	USA OSHA – Table Z1
			$1,900 \text{ mg/m}^3$	Limits for Air Contaminants
				- 1910.1000
	Remarks	The valu	The value in mg/m^3 is approximate.	
		TWA	1,000.000 ppm	USA NIOSH Recommended
			$1,900.000 \text{ mg/m}^3$	Exposure Limits
		STEL	1,000.000 ppm	USA ACGIH Threshold
				Limit Values (TLV)
	Remarks	Upper R	Upper Respiratory Tract irritation	
		Confirm	Confirmed animal carcinogen with unknown relevance to	
		humans.	humans.	

Engineering Controls: Handle in accordance with good industrial hygiene and safety practices. Wash hands before breaks and at the end of the workday.

Ventilation: Area ventilation is generally adequate.

Personal Protective Equipment:

Respiratory:	Respirator is not required.
Hand:	Chemical resistant gloves required.
Eye:	Safety glasses or goggles required.
Clothing:	Laboratory coat recommended.

General Hygiene Measures: Wash hands thoroughly after handling.

SECTION 9 – PHYSICAL / CHEMICAL PROPERTIES

Appearance: Frozen liquid

Upper/lower flammability or Explosive limits:No data availableOdor:Faint earthy or musky odor

Vapor pressure:	No data available	
Odor threshold:	No data available	
Vapor density:	No data available	
pH:	No data available	
Relative density:	No data available	
Freezing point:	No data available	
Solubility:	Soluble in water	
Boiling point:	No data available	
Flash point:	No data available	
Evaporation rate:	No data available	
Flammability:	Not flammable	
Upper/lower flammability or explosive limits: No data a		
Partition coefficient: n-octanol/water:		No data available
Auto-ignition temperature: No data available		
Viscosity:	No data available	

SECTION 10 – STABILITY AND REACTIVITY

Reactivity:	No data available	
Chemical stability:	Stable under recommended storage and usage conditions.	
Possible hazardous reactions: No data available		
Conditions to be avoided:	Heat, sparks and flames.	
Incompatible materials: Oxidizing agents, Alkali metals, Ammonia, Peroxides		
Hazardous decomposition	products: Carbon oxides and Sulfur oxides may be released in a fire.	

SECTION 11 – TOXICOLOGICAL INFORMATION

Likely routes of exposure: Ingestion, skin, eye contact.

Acute toxicity				
Oral LD50:	Component: Ethanol	LD50 (Rat)	Dose: 5,000 mg/kg	
Inhalation LC50:	Component: Ethanol	LC50 (Mouse)	Dose: 39 g/m^3 Exposure time: 4 hr	ſS
Dermal Irritant:	Component: Ethanol	Rabbit	Mild irritant	
Eye Irritant:	Component: Ethanol	Rabbit	Moderate irritant	
(Refer to Ethanol, C	CAS number 64-17-5, for a	bove toxicologica	l data)	

SECTION 12 – ECOLOGICAL INFORMATION

LC50 Pimephales promelas (fathead minnow) 34,000 mg/L – 96 h (Dimethyl Sulfoxide)
LC50 Oncorhynchus mykiss (rainbow trout) 35,000 mg/L – 96 h (Dimethyl Sulfoxide)
LC50 Leuciscus idus (Golden orfe) 8,140 mg/L – 48 h (Ethanol)
EC50 Daphnia magna (water flea) 24,600 mg/L – 48 h (Dimethyl Sulfoxide), (OECD Guideline 202)
EC50 Daphnia magna (water flea) > 10,000 mg/L - 24 h (Ethanol)
EC50 Pseudokirchneriella subcapitata (green algae) 17,000 mg/L – 72 h (Dimethyl Sulfoxide), (OECD Guideline 201)
Cell multiplication inhibition test EC 10, Desmodesmus subspicatus (green algae) 5,000 mg/L - 8 days (Ethanol)
Cell multiplication inhibition test EC 10, Pseudomonas putid 6,500 mg/L - 16 hrs. (Ethanol)

Additional ecological information: No data available

Component Information:

Ethanol CAS number 64-17-5

Biodegradability: Zahn-Wellens Test Exposure time: 28 days Result: Biologically well degradable >99% Method: OECD Test Guideline 302 B

> Closed Bottle test Exposure time: 5 days Result: Readily biodegradable 74%

> > Method: OECD Test Guideline 301 D

Persistence/Degradability:No data availableBioaccumulation Potential:No data availableMobility in Soil:No data available.Expected to be mobile in soil due to high solubility in water.

SECTION 13 – DISPOSAL CONSIDERATIONS

RCRA hazardous waste code: Appropriate disposal containers: Appropriate Method of Disposal: local environmental regulations. Not listed as a hazardous waste. No specific restrictions on waste container type. Clean up and dispose of waste in accordance with all federal, state and

SECTION 14 – TRANSPORT INFORMATION

UN number:	N/A
Proper Shipping Name:	None.
DOT:	Non-hazardous for transport.
IMDG:	Non-hazardous for transport.
IATA:	Non-hazardous for transport.

SECTION 15 – REGULATORY INFORMATION

SARA 302 Components:No chemicals in this product are subject to SARA Title III, Section 302.SARA 313 Components:This product does not contain chemical components with known CAS numbersthat exceed the threshold (De Minimus) reporting levels established by SARA Title III, Section 313.SARA 311/312:Fire hazard, Chronic health hazard, Acute health hazard

Massachusetts Right to Kr	now Components: Ethanol	CAS number:	64-17-5
Pennsylvania Right to Kno	Dw Components: Water Ethanol	CAS number: CAS number:	7732-18-5 64-17-5
New Jersey Right to Know	7 Components: Ethanol	CAS number:	64-17-5

California Prop. 65 Components: This product does not contain any chemicals known to the state of California to cause cancer, birth defects or other reproductive harm.

SECTION 16 – OTHER INFORMATION

Preparation information:

Prepared by:	Quality Department
Date Prepared:	June 8, 2015
Replaced Version date:	July 30, 2012

Disclaimer: This information is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of Lifeline Cell Technology. The data on this sheet relate only to the specific materials designated herein and shall only be used as a guide. Lifeline Cell Technology assumes no legal responsibility for the use or reliance upon these data.