





This product is for Research Use Only. This product is not approved for human or veterinary use or for use in in vitro diagnostics or clinical procedures.







HMSC-Pre-Adipocytes, passage 4, 4 days after inoculation with ~5,000 cells/cm² (100X)

## **CELL FEATURES:**

- HMSC-Pre-adipocytes are cryopreserved as secondary cells\*.
- HMSC-Pre-Adipocytes are isolated from mature adipocytes from adult lipoaspirate which have been de-differentiated.
- HMSC-Pre-Adipocytes are extensively tested for quality and optimal performance.
- Lifeline guarantees performance and quality.

HUMAN MESENCHYMAL STEM CELLS ARE TESTED FOR:			
Cell Count	HMSC-Pre-Adipocyte – 1 x 10 <sup>6</sup> cryopreserved cells per vial		
<ul> <li>Morphology</li> </ul>	Normal morphology for 3 passages		
Cell Viability	Minimum 70% viability when thawed from cryopreservation		
• Sterility	Negative for mycoplasma Negative for bacterial and fungal growth		
• Virus	Negative for HIV-1, HIV-2, HBV, and HCV by PCR		
Specific Staining	Positive <sup>§</sup> for CD29, CD44, CD73, CD90, CD105, CD166 Negative <sup>‡</sup> for CD14, CD31, CD34, CD45		

PART NUMBER	PRODUCT INFORMATION
FC-0062	HMSC- Pre-Adipocytes, Human Mesenchymal Stem Cells, Pre-Adipocytes, Secondary –1 x 10 <sup>6</sup> cells per vial
<u>LL-0011</u>	FibroLife™ S2 Medium Complete Kit (FibroLife Basal Medium, FibroLife S2 LifeFactors™ Kit)
LS-1104	GA Antimicrobial Supplement, 0.5 mL (Gentamicin 30 mg/mL, Amphotericin B 15 μg/mL); provided with purchase of LL-0011



Lifeline Cell Technology | 8415 Progress Drive, Suite T | Frederick, MD 21701 ©2024 Lifeline Cell Technology, an International Stem Cell Company | All Rights Reserved

PART NUMBER	RELATED PRODUCTS	FOR USE WITH PART NUMBER(S)
<u>LL-0050</u>	AdipoLife™ DfKt™-1	FC-0062
<u>LL-0052</u>	Oil Red O Staining Kit	<u>LL-0050</u>
LM-0022	ChondroLife™ Complete Chondrogenesis Medium	FC-0062
<u>LL-0051</u>	Alcian Blue Staining Kit	<u>LM-0022</u>
LM-0023	OsteoLife™ Complete Osteogenesis Medium	FC-0062
CM-0058	2% Alizarin Red Stain	<u>LM-0023</u>

## Lifeline's Human Mesenchymal Stem Cells-Pre-Adipocyte

Lifeline's Human Mesenchymal Stem Cells-Pre-Adipocyte (HMSC-Pre-Adipocyte) provide an ideal culture model for the study of diabetes, obesity, insulin sensitivity, adipose biology and multipotent stem cell biology. HMSC-Pre-Adipocyte can be expanded in an undifferentiated state for future differentiation to multiple lineages. Lifeline's HMSC may be differentiated down the typical mesenchymal lineages, such as adipogenic, chondrogenic, and osteogenic lineages.

Lifeline's HMSC-Pre-Adipocytes are dedifferentiated adipocytes and cryopreserved as secondary cells to ensure optimal phenotype and the highest viability and plating efficiency. Our HMSC are quality tested via flow cytometry to ensure proper expression of multiple markers of mesenchymal stem cells. There is a consensus in the published literature that mesenchymal stem cells do not express hematopoietic surface proteins such as CD45, CD34, and CD14, and that they do express STRO-1, SH-2 (CD105, endoglin), and SH3/SH4 (CD73). However, quantification of positive vs. negative expression is not universally standardized. Lifeline® has set stringent parameters for quantification of marker expression. Lifeline's HMSC are uniformly positive§ for integrin CD29; matrix receptors CD44 and CD105; and stromal cell-associated markers CD73, CD90, and CD166. Lifeline's HMSC are uniformly negative‡ for hematopoietic lineage markers CD14, CD31, CD34, and CD45.

Lifeline's HMSC are not exposed to antimicrobials or phenol red when cultured in FibroLife® S2 Medium. Lifeline offers antimicrobials and phenol red; however they are not required for eukaryotic cell proliferation. A vial of Gentamicin and Amphotericin B (GA; LS-1104) is provided with the purchase of FibroLife S2 Medium Complete Kit (LL-0011) for your convenience. The use of GA is recommended to inhibit potential fungal or bacterial contamination of eukaryotic cell cultures. Phenol Red (LS-1009) may be purchased, but is not required.

## **Quality Testing for Guaranteed Consistency and Reproducible Results**

Lifeline Cell Technology manufactures products using the highest quality raw materials and incorporates extensive quality assurance in every production run. Exacting standards and production procedures ensure consistent performance.



Call Lifeline Technical Service and Sales at 877.845.7787

Or visit lifelinecelltech.com for more information

Lifeline Cell Technology | 8415 Progress Drive, Suite T | Frederick, MD 21701

©2024 Lifeline Cell Technology, an International Stem Cell Company | All Rights Reserved



Lifeline's rigorous quality control ensures sterility and performance to standardized testing criteria. Upon request, Lifeline will provide lot specific QC test results, material safety data sheets, and certificates of analysis. See complete guarantee/warranty statement at lifelinecelltech.com or contact your Lifeline representative for more information.

All donated tissues have been obtained under proper informed consent and adheres to the Declaration of Helsinki, The Human Tissue Act (UK), CFR Title 21, and HIPAA Regulations relative to obtaining and handling human tissue for Research Use.

## **Safety Statement**

Lifeline recommends storing cryopreserved vials in liquid nitrogen vapor phase. Handle cryopreserved vials with caution. Always wear eye protection and gloves when working with cell cultures. Aseptically vent any liquid nitrogen from cryopreserved vials by carefully loosening the vial cap in a biosafety cabinet prior to thawing the vials in a water bath. If vials must be stored in liquid phase, the vials should be transferred to vapor phase storage or -80°C for up to 24 hours prior to being thawed.

\*Lifeline Technical Note: There are different and often contradictory terminologies used by cell culture companies to define the passage number of cells. Lifeline's designation of 'primary cells' are cells that have been isolated from tissue, plated onto culture vessels, expanded, harvested, and cryopreserved. The term 'secondary' indicates that the cells have been isolated, plated, and expanded in culture vessels twice before being harvested for cryopreservation.

§Lifeline defines positive expression as when greater than 95% of the cell population expresses that cell marker. ‡Lifeline defines negative expression as when less than 2% of the cell population expresses that cell marker.



Call Lifeline Technical Service and Sales at 877.845.7787

Or visit lifelinecelltech.com for more information

Lifeline Cell Technology | 8415 Progress Drive, Suite T | Frederick, MD 21701

©2024 Lifeline Cell Technology, an International Stem Cell Company | All Rights Reserved